

**REMARKS**

Applicants submit herewith an amended Abstract, as requested by the Examiner. The amended Abstract has been changed only in reformatting into a single paragraph and to correct several typographical errors in the Examiner's amended Abstract included with the Notice of Allowance. Specifically, the word "multiplayer" in lines 1 and 2 of the Examiner's amended Abstract has been replaced with "multilayer", and to revise the sentence "Ammonia and gallium ... constant growth rate" in the Examiner's amended Abstract into two separate sentences as in the Applicants' original Abstract.

No new matter is included in the present amended Abstract.


**Conclusion**

In the event issues remain in the prosecution of this application, Applicants request that the Examiner telephone the undersigned to expedite issuance of the patent. Should any additional fees are required for the filing of this paper, the Commissioner is authorized to charge those fees to Deposit Account #18-0988, Docket No. YAMAP0800US.

Respectfully submitted,

RENNER, OTTO, BOISSELLE & SKLAR, P.L.L.

Date: May 26, 2004



Thomas W. Adams  
Reg. No. 35,047

The Keith Building  
1621 Euclid Avenue  
Nineteenth Floor  
Cleveland, Ohio 44115  
Telephone: (216) 621-1113  
Facsimile: (216) 621-6165

B:\Adams-Tom\Client Files\YAMA\800\yama800.312amd.wpd